

# BUILT TO CRUISE, READY TO CARVE



**Forget what you think you know about cruisers—the CMX1100 is built differently.**

It keeps the classic low seat height, twin-cylinder engine, and relaxed riding position but adds real power and handling to the mix. With strong acceleration and a chassis designed for cornering, it's a cruiser that thrives when the road gets twisty.

For a more traditional ride, the standard CMX1100 offers a 6-speed manual, while the DCT model brings clutch-free convenience and paddle shifting. Prefer longer trips? The Tour variant comes ready for the open road with added wind protection and luggage for enhanced comfort and practicality.

**1100T**

[FIND A DEALER](#)



# TECHNICAL SPECIFICATIONS



## CMX1100

-  Gunmetal Black Metallic
-  Iridium Gray Metallic



## CMX1100 DCT

-  Iridium Gray Metallic
-  Gunmetal Black Metallic

Engine		
Engine Type	Liquid-cooled, 4-stroke	Liquid-cooled, 4-stroke
Displacement (cc)	1084	1084
Cylinders	Inline 2	Inline 2
Valves	8	8
Compression Ratio	10.1:1	10.1:1
Bore & Stroke (mm)	92 x 81.5	92 x 81.5
Starter	Electric	Electric
Fuel System	Fuel injection	Fuel injection
Transmission	6-speed	DCT 6-speed
Drive	Chain	Chain
Fuel Capacity (L)	13.6	13.6
Dimensions		
Overall Length (mm)	2,240	2,240
Overall Width (mm)	853	834
Overall Height (mm)	1,115	1,180
Wheelbase (mm)	1,520	1,520
Seat Height (mm)	700	700
Ground Clearance (mm)	120	120
Kerb Weight (kg)	223	233
Tyres (Front)	130/70-18	130/70-18
Tyres (Rear)	180/65-16	180/65-16
Chassis		
Front Suspension Type	43mm Telescopic fork	43mm Telescopic fork
Front Wheel Travel (mm)	121	121
Front Adjustability	Preload	Preload
Rear Suspension Type	Twin shocks	Twin shocks
Rear Wheel Travel (mm)	95	95
Rear Adjustability	Preload	Preload
Brakes (Front)	1x 330mm disc, ABS	1x 330mm disc, ABS
Brakes (Rear)	1x 256mm disc, ABS	1x 256mm disc, ABS
Warranty		
	24-month	24-month



# TECHNICAL SPECIFICATIONS



## CMX1100 Tour

 Bordeaux Red Metallic

<b>Engine</b>	
Engine Type	Liquid-cooled, 4-stroke
Displacement (cc)	1084
Cylinders	Inline 2
Valves	8
Compression Ratio	10.1:1
Bore & Stroke (mm)	92 x 81.5
Starter	Electric
Fuel System	Fuel injection
Transmission	6-speed
Drive	Chain
Fuel Capacity (L)	13.6
<b>Dimensions</b>	
Overall Length (mm)	2,240
Overall Width (mm)	853
Overall Height (mm)	1,115
Wheelbase (mm)	1,520
Seat Height (mm)	700
Ground Clearance (mm)	120
Kerb Weight (kg)	238
Tyres (Front)	130/70-18
Tyres (Rear)	180/65-16
<b>Chassis</b>	
Front Suspension Type	43mm Telescopic fork
Front Wheel Travel (mm)	121
Front Adjustability	Preload
Rear Suspension Type	Twin shocks
Rear Wheel Travel (mm)	95
Rear Adjustability	Preload
Brakes (Front)	1x 330mm disc, ABS
Brakes (Rear)	1x 256mm disc, ABS
<b>Warranty</b>	
	24-month

### Powerful Performance

1084 twin-cylinder engine that redefines how a modern cruiser should perform, delivering strong torque and agile handling.

### Precision Braking

Radially mounted front-brake caliper delivers strong stopping power, while Honda Selectable Torque Control<sup>1D5</sup> (HSTC) enhances traction and control.



### DCT Variant

For those seeking clutch-free convenience and smooth gear changes, Honda's advanced Dual Clutch Transmission (DCT) is available for effortless riding.



### New Tour Variant

Bagger style with a handlebar fairing and hard 35L saddle bags, perfect for extended journeys with added wind protection and storage capacity.

Overseas model shown. D7 The HSTC is not meant to eliminate slipping. The HSTC is an auxiliary system to assist the rider for accelerator operations. Therefore, the same as for vehicles without the HSTC, safe riding practices are required, as even vehicles with the HSTC cannot handle unreasonable operations. Please refrain from sudden acceleration operations and ride safely. Honda Australia Motorcycle and Power Equipment Pty. Ltd. Level 4 6 Gladstone Street, Moonee Ponds, Victoria 3039. ABN 96 006 662 862. The specification and major features listed are accurate as at print date March 2025. However, Honda Australia Motorcycle and Power Equipment Pty. Ltd. Reserves the right to change or modify specifications and major features at any time without prior notice. Due to ordering, shipping and freight factors some colour model, options and accessory availability may vary from time to time. Check with your Honda Dealer for current information. Displayed paint and trim colours are indicative and may vary from actual. Warranty terms and conditions apply see [motorcycles.honda.com.au/owners/warranty](https://motorcycles.honda.com.au/owners/warranty)

1100T

FIND A DEALER

